SAFETY DATA SHEET OF THE PREPARATION complying with EC Regulation 1907/2006

KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

Rev Date: 19-07-18 Rev:2

SECTION 1.- IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

1.1. Identification of the preparation: KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

1.2. Intended use of preparation: Painting for finishing of facades and walls in exterior and interior.

1.3. Details of the provider of the Safety Data Sheet:

Industrias Kolmer, S.A.

Polígono Industrial Juncaril, C/Loja, Parcela 111-112 CP: 18220, Albolote Granada, Spain

Telefono: 958465686 Fax: 958467402

e-mail:kolmer@kolmersa.com

1.4. Environmental emergency number: 958465686

(9:00-14:00)(16:00-19:00) (Mon. - Fri.)

SECTION 2.- IDENTIFICATION OF PREPARATION RISKS

2.1 Classification of the substance or mix Classification (REGULATION (CE) No 1272/2008)

H412 Harmful to aquatic life with long lasting effects. Cat. 3..

2.2 Elements of the label Label (REGULATION (CE) No 1272/2008)

H412 Harmful to aquatic life with long lasting effects.

Additional Information:

Article treated: contains 3-lodo-2-propynyl butylcarbamate, 2-Benzimidazole carbamic acid methyl Ester and terbutryn to protect the paint film.

SECTION 3.- COMPOSITION/INFORMATION ABOUT THE COMPONENTS

Substances than can be hazardous to health according to Directive 1272/2008 (CLP):

COMPONENT	IDENTIFICATION	SYMBOL	R/H PHRASES	INTERVAL CONCENTRATION
3-lodo-2- propynyl butylcarbamate	Nº CAS: 55406-53-6 Nº CE: 259-627-5 Nº Index (CLP): 616-212-00-7	GSH05, GSH06, GSH08, GSH09, Danger	H302,H331,H318, H317,H372, H400, H410	< 0,02 %
2-Benzimidazole carbamic acid methyl Ester	Nº CAS: 10605-21-7 Nº CE: 234-232-0 Nº Index (CLP): 613- 048-00-8	GSH08, GSH09 Danger	H340, H360FD, H400, H410	< 0,05 %
terbutryn	Nº CAS: 886-50-0 Nº CE: 212-950-5 Nº Index (CLP): DO NOT AVAILABLE	GSH08, GSH09, Danger	H302,H400,H410	0,05 %

SECTION 4.- FIRST AIDS

SAFETY DATA SHEET OF THE PREPARATION complying with EC Regulation 1907/2006

KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

Rev Date: 19-07-18 Rev:2

4.1 Description of first aid

General recommendations: Do not leave the victim alone. If the product is inhaled: In the event of unconsciousness, place victim in the recovery position and seek medical help. If the symptoms persist, see a doctor.

In the case of contact with eyes: Remove lenses. Protect the undamaged eye. If irritation of the eyes persists, see a specialist.

If swallowed: Keep the respiratory tract unobstructed. Do not consume milk or alcoholic beverages. Never administer anything through the mouth of someone who is unconscious. If the symptoms persist, see a doctor.

SECTION 5.- FIRE FIGHTING MEASURES

5.1 Extinguishing measures

5.2 Specific dangers deriving from a substance or mix: Not applicable.

5.3 Recommendations for firefighting personnel.

Special protection equipment for firefighting personnel: If necessary, use self-contained breathing equipment to fight fires.

Other data: Standard procedure for chemical fires. Use extinguishing measures that are suitable for the characteristics of the premises and surrounding area.

SECTION 6.- MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

6.1 Personal precautions, protection equipment and emergency procedures

6.2 Precautions relating to the environment

Precautions relating to the environment: If the product pollutes rivers, lakes or drainage systems, inform the relevant authorities.

6.3 Methods and material for containment and clean-up.

Cleaning methods: Clean with absorbent materials (for example cloth, fleece fabric). Keep in suitable containers and closed for removal.

SECTION 7.- HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice for safe handling: Individual protection equipment, see section 8. Do not smoke, eat or drink during work.

Instructions for protection against fires and explosions: Normal protection previsions for fire prevention

7.2 Safe storage conditions, including possible incompatibilities

Technical demands for warehouse and containers; Electrical facilities and work materials must comply with safety regulations.

Complementary information about storage conditions: Keep away from heat. Instructions for common storage: No material to mention especially.

Other data: No decomposition if stored and applied as outlined.

Special uses:

See product technical sheet.

SECTION 8.- EXPOSURE CONTROLS/PERSONAL PROTECTION

Technical measures:

Not applicable

Exposure limits:

SAFETY DATA SHEET OF THE PREPARATION complying with EC Regulation 1907/2006

KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

Rev Date: 19-07-18 Rev:2

VLA ¹		VLA ²	
 ppm	mg/ m ³	ppm	mg/ m ³

- 1. Short-term exposure limits
- 2. Medium-term exposure limits

The product and its application do not contain hazardous materials with exposure limits established occupational.

Personal protection:

Respiratory protection:

When workers support concentrations above the exposure limit, they must use appropriate certified respirators, with type P2 filter.

Hand protection:

For prolonged or repeated use neoprene gloves (certified standard EN 374, EN 388, EN 420), 0.2 mm thick, and chemical resistance> 30 min, class 2 contacts.

Eye protection:

Safety goggles, specifically designed against splashes.

Skin protection:

All body parts that have been in contact with the preparation should wash.

SECTION 9.- PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste-like liquid Flashpoint: Not applicable

Brookfield Viscosity (Brookfield LTV, 20 °C, sp-4, 12 rpm): 15.500 cp

Peso específico: 0.93 gr/cc

SECTION 10.- STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- **10.3** Possibility of dangerous reactions: Stable in recommended storage conditions. No dangers to point out especially.
- 10.4 Conditions that should be avoided: No available data
- 10.5 Incompatible materials
- 10.6 Products with dangerous decomposition

SECTION 11.- TOXICOLOGICAL INFORMATION

11.1 Information about toxicological effects

Acute toxicity

Skin corrosion or irritation
Skin irritation: No available data
Serious injuries or eye irritation
Eye irritation: No available data
Respiratory or skin sensitisation
Sensitisation: No available data

SAFETY DATA SHEET OF THE PREPARATION complying with EC Regulation 1907/2006

KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

Rev Date: 19-07-18 Rev:2

Systemic toxicity for target organs - Repeated exposure: No available data

Other data: No available data

SECTION 12.- ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic for fish No available data

12.2 Persistence and degradabilityBiodegradability: No available data **12.3 Potential for bioaccumulation**Bioaccumulation: No available data

12.4 Mobility

12.5 Results of the PBT and vPvB

No available data

12.6 Other adverse effects

Complementary ecological information: No available data

It is not permitted to let the product into drains or water courses.

SECTION 13.- CONSIDERATIONS ON ELIMINATION

13.1 Methods for processing waste

Contaminated packaging: Waste and empty packaging should be handled in accordance with current legislation.

Do not discharge into drains or watercourses.

SECTION 14.- INFORMATION REGARDING TRANSPORT

Transport must always comply with ADR standards for transport by road, RID/TPF standards for transport by rail, IMDG standards for sea transport, and ICAO.

DENOMINATION							
TRANSPORT METHOD	Nº UN	CLASS	DODE CLASSIFICATION	PACKAGING GROUP	RISK	LABELS	
Road (ADR)						DOES NOT REQUIRE LABELLING	
Rail (RID)						DOES NOT REQUIRE LABELLING	
Sea (IMDG)						DOES NOT REQUIRE LABELLING	
Air (ICAO/IATA)						DOES NOT REQUIRE LABELLING	

SECTION 15.- REGULATORY INFORMATION

15.1. Specific regulations and legislation related to safety, health and environment for the substance or preparation:

EU Legislation:

Regulation (EC) 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency and its amendments.

Regulation (EC) No 1272/2008 of the European Parliament of 16 December 2008 on

SAFETY DATA SHEET OF THE PREPARATION complying with EC Regulation 1907/2006

KOLMAN ANTICONDENSING THERMO-ACOUSTIC INSULATION PAINT

Rev Date: 19-07-18 Rev:2

classification, labelling and packaging of substances and mixtures, amending Regulation (EC) 1907/2006.

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

SECTION 16.- OTHER INFORMATION

Complete text of H phrases included in Section 3:

H302. Harmful if swallowed.

H317. May cause an allergic skin reaction.

H318. Causes serious eve damage.

H331. Toxic if inhaled.

H340. May cause genetic defects

H360FD. May damage fertility or the unborn child

H372. Causes damage to organs through prolonged or repeated exposure

H400. Very toxic to aquatic life.

H410. Very toxic to aquatic life with long lasting effects.

The complete text of this Safety Data Sheet of the Preparation is based on present day knowledge and current EC and national legislation. The working conditions of users are outside of our knowledge and control.

In order to use the product for purposes other than those specified in section 1, prior written instructions regarding handling are required.

The user is always responsible for taking the suitable measures in order to comply with the requirements set forth in current legislation.

The information included in this Safety Data Sheet is only a description of the safety requirements for the preparation. It must not be considered as a guarantee of its properties.

The information included in this Safety Data Sheet has been drawn up in accordance with CLP Regulation (EC) No 1272/2008.

END OF THE SAFETY DATA SHEET